US ERA ARCHIVE DOCUMENT

1. Incident Name		2. Date Prepared		3. Time Prepared		UNIT LOG
Kalamazoo River/Enbridge Spill		12/12/2012		17:00	ICS 214	
4. <u>Unit Name/Designators</u>		5. Unit Leader		6. Operational Period :		
CBR Team #6		Name: Dan Capone & Chris Lantinga (START/US EPA)		From:	12/12/2012 07:00	
		Position:	Operations Section Chief		То:	12/12/2012 16:19
		7. Personnel Roster Assigned				
<u>Name</u>		ICS Position		DUTY CELL		
Dan Capone		Operations Section Chief				
Chris Lantinga		Operations Section Chief				
Dan Zahner		Field Team Lead				
Michael T. Browning		CBR #6				
8. Activity Log						
Activity Area	~				LAT	LAT
	Sediment trap	area at MP	21.50		Various (DD.MMMM	Various) (DD.MMMM)
OIL OBSERVED	EXTENT OF OIL IMPACTED AREA DENSITY OF OIL /SHEEN			NA	(DD.IVIIVIIVIIVI) (DD.IVIIVIIVIIVI)
Total Collection Points	NA NA			NA		
Total Boom Deployed	NA					
Activity	START CBR 6 conducted oversight documentation of the Enbridge Team of Eric Celebrezze (Team Lead, Trimble SPC3 Operator and Data Logger) and Jesse Worth (Yuma Operator). At MP 21.50, the base station was set up at CP 1027 (RDB), while the back shots/QC locations were set up at CP 1028 (RDB) and CP 1041 (LDB). The delta V for the back shots/QC checks were below .02. The team recorded water velocity readings, water depths, bathymetry readings, and surface water level readings along transects A, G, H (redo), I, J, and K. The points were taken every four feet along these transects. The team recorded one water velocity reading from Transect A, five water velocity readings from Transects G, H, J, and K, and six water flow readings from Transect I. Page 2 of this form provides additional information for these transects. The team pulled the upstream and downstream CSDs prior to entering MP 21.50. The CSDs were placed back in the water after the work was completed in MP 21.50. To conduct the required survey work, the team used a Trimble S6 Total Station (Robot), a Trimble SPC3 hand held data logger, a YUMA, a global water probe model FP211 (velocity flow), and a metal prism rod with an 8" metal disk on the bottom (water depth).					

Health and Safety

Issues Comments

Summary Transect A (MP 21.50) The team collected bathymetry measurements at 16 points along transect A, and recorded one water velocity reading along this transect. Orientation of the data collection was from upstream to downstream. **Summary Transect G (MP 21.50)** The team collected bathymetry measurements at 46 points along transect G (including one surface water level reading), and recorded five water velocity readings along this transect. Orientation of the data collection was cross-stream from west to east. **Summary Transect H (MP 21.50)** The team collected bathymetry measurements at 41 points along transect I (including one surface water level reading), and recorded five water flow readings along this transect. Orientation of the data collection was cross-stream from west to east. **Summary Transect I (MP 21.50)** The team collected bathymetry measurements at 41 points along transect I (including one surface water level reading), and recorded six water flow readings along this transect. Orientation of the data collection was cross-stream from west to east. **Summary Transect J (MP 21.50)** The team collected bathymetry measurements at 36 points along transect J (including one surface water level reading), and recorded five water flow readings along this transect. Orientation of the data collection was cross-stream from west to east. **Summary Transect K (MP 21.50)** The team collected bathymetry measurements at 32 points along transect I (including one surface water level reading), and recorded five water flow readings along this transect. Orientation of the data collection was cross-stream from west to east. Morning weather: Morning 25 degrees with clear skies and light winds. Afternoon: 40 degrees with sunny skies and light winds.